



ALFRED RIGGS

The Association of Earth Radiation & other Fields with Specific Diseases



Alfred Henry Riggs
Consultant Radiethesist

Summer 2003

*Men often stumble over the truth
but most of them pick themselves
up and hurry off as if nothing
has happened.*

– Winston Churchill

Abstract

As a result of investigating houses, offices, workshops and clinics (mainly houses) in over 20 countries over a 36 year period in the capacity of a 'Radiethesist' seeking to locate Earth, and some types of man-made radiation that I find associated with specific diseases, I have come to the firm conclusion that disease is in some fair measure a problem of location.

The Earth radiation that I seek to locate employing a dowsing technique is confined to the so called global grid systems thought to be created by cosmic radiation interacting with the Earth's magnetic field, namely the Curry Grid (Dr. Manfred Curry), Hartmann Net (Dr. Ernst Hartmann), geological fault lines, subterranean water courses and some as yet unclassified lines of radiation that may in loose terms fall into the 'Ley Line' group. It is also important to establish to what degree there is a problem arising from the invasion of Radon Gas which is over and above the background level, this being caused by the disintegrating salts of Uranium and Thorium.

Keywords: Radiation, Geopathic Stress.

***Contact:** info@alfredriggs.com / www.alfredriggs.com

1.Introduction

The unclassified radiation hazard that I came across in recent years is about 14.5cm wide, and when found clustered in groups there is a distance of some 97cm between each band. If groups of this type coming from different directions cross on the site where a house is built, it is quite common to find a history of Cancer and other serious diseases being visited upon the people that have lived there, and the pets they have kept. When formulating a league table of hazard rating, experience has led me to place this type high on the list of Earth rays causing serious damage to the bio-system. Very often I find that if a person is sleeping above a crossing point of these grids, Cancer will often develop within a relatively short period of time, It is fortunate that this type of hazard is far less common than the others such as subterranean water courses.

It is also frequently found that, apart from this type of radiation having an association with the development of Cancer, it also damages domestic electrical appliances resulting in many breakdowns. The late Dr. Bill Sutherland measured these lines claiming they produced frequencies in the Ghz range. Such is the close proximity of these bands when two different groups cross within the confines of a house it is often impossible to find a neutral zone where a bed could be usefully relocated. Electric light bulbs in such homes tend to have a short working lifespan.

At the Manny Patel Cancer Clinic in Bangor, North Wales, I was called upon to examine the house of one of their patients. It is my standard practice not to have any information related to the house or individual health problems, in order to conduct a blind investigation. In this case, however, I was in receipt of the knowledge that someone living in the house was suffering from Cancer. After dowsing five sleeping sites, I was able to state that the person in question slept on the right hand side of a double bed, and if they slept on their back, the Cancer would be in the area of the left breast, if they slept on their stomach it would be located in the area of the right breast.

A member of the staff who watched me working said: "You have found the right bed and the correct side but the patient sleeps on her back and has the Cancer in her right breast, not the left as you suggest." Arising from this, I was able to state with some confidence that the bed had been moved recently some 8-10 inches to the left. They then consulted a member of the family who confirmed the bed had

been moved in order to accommodate a bedside cabinet. When the cabinet was removed we could see the original position of the bed by the imprint left in the carpet. Measuring the leg of bed positions from the centre to centre established it had been moved some 8.5 inches to the left, bringing the crossing point of the lines of radiation in the area of the right breast. It is possible to be this accurate particularly when the lines are a combination of the narrow bands generated from the underground water movement and geological fault lines.

Since we are beginning to understand that it is essential to maintain a degree of stability in the bio-electric state at cell level, it is necessary and important to make provision to ensure that we are not immersed in noxious fields for long periods of time that would serve to create discord to the status of these vital structures.

In 1922, a group of doctors in Germany aided by skilled dowzers completed a programme of research investigating the effects that Earth rays imposed on the human organism. They concluded that Earth radiation was the prime cause of many serious diseases, and called upon the government to organize a national study dealing with this subject. The state of the economy in Germany following the First World War, plus the fact that this conclusion did not enjoy a high degree of credibility was such that demands for research into this area failed to gain any favour, so little or nothing was done on an official basis.

In 1929 however, Gustav Freiherr von Pohl, a respected dowser was invited to investigate the town of Vilsbiburg, where deaths from Cancer were above the national average. His brief was to locate and mark the areas of severe geopathic disturbance that would be Cancer causing in zones where beds were placed. Such a cartographical investigation had never been attempted before, and to complete this survey with acceptable results it was necessary to arrange official supervision and escorts to gain entry into houses and gardens.

There were 565 houses, with around 900 flats and 3,300 inhabitants. He mapped the lines of radiation going through each house and noted the sites where radiation crossed within the confines of the dwelling rating such zones as Cancer sites. His findings were officially confirmed by medical officers appointed by the Town Mayor after consulting the town's medical and death record covering a period of 50 years. Some houses (42) had a history of seven deaths from Cancer

during the period for which such information was recorded. This information is stored in the Town Hall at Vilsbiburg.

Von Pohl's work stimulated extensive action among central European medical professions. In Stettin, the Medical Officer, Dr Hager, undertook his own city survey of 5,348 Cancer cases, the outcome of which did much to account for the widespread acceptance on the continent of the geopathic influence on Cancer and other illnesses originating or stimulated by fields from Telluric radiation sources.

In more recent times, the findings of dowzers such as Kathe Bachler, who dowsed in 14 countries, dealing with over 3,000 homes (all information recorded), Kurt Wienberg, the talented dowser from Kassell, over 9,000 cases with well illustrated information dealing with each house and workplace examined, plus my own experience, leaves me with no element of doubt whatsoever that the emissions from telluric radiation sometimes in combination with dc, and some types of man-made radiation represent a major contributory factor in the development of many terminal and debilitating diseases.

Dr. Ernst Hartmann, well known originally for his discovery of the global grid system (Hartmann Grid) researched the effects of Earth rays on humans for well over thirty years, his experience led him to produce a six hundred page report stating that disease was a problem of location. He found one of the first things to be adversely affected was the immune system, as a result of which individuals placed above an area of geopathic disturbance soon lost the ability to defend themselves against harmful bacteria that previously they were able to withstand. There was also a very firm link with the development of Cancer in people that slept or worked above the crossing points of Earth ray systems for lengthy periods of time.

In 1989, a group of researchers in Austria completed a two year study on the short term consequences of human association with Pathogenic Sites. Some 985 people were tested with 462,421 measurements recorded from 6,943 individual tests. The working party was headed by Dr. Otto Bergsmann (Internal Medicine), professor at the University of Vienna. A 158 page report gave details of changes in the serum values of Serotonin, Zinc and Calcium after being exposed to these noxious fields for a period of ten minutes. There were many other altered states to biological functions noted as a result of short term exposure to these forces.

This group has now linked with two universities in Austria studying the effects of disturbed zones on the immune system. Indications thus far support the findings of Dr. Ernst Hartmann, who claimed that the protective role of the immune system was undermined when immersed in emissions from pathogenic sites.

2.Magnetic Fields

It is now possible to purchase from the local hardware store, a magnet that clips onto the domestic water supply pipe (most have a field strength of around 7,000 Gauss), for the purpose of changing hard water into soft water. It achieves this by promoting an altered state in the molecular structure of Magnesium and Calcium. If one takes into consideration the sphere of influence of such a magnet and the average speed of water flowing through a domestic water pipe, the change would take place in less than two seconds. They are said to be approved by the Water Board, but what the advertising failed to mention is the fact that other elements which go to make up the normal content of tap water would also be subject to altered states.

The object of raising this point was to indicate that magnetic fields have a property that is conducive to bringing about altered states to an organized structure. It is also my concern that a magnetic field of that magnitude may also cause spontaneous mutation to water borne bacilli, as cell dysfunction is said to arise from much lower output levels than this.

Dr. Wolfgang Pose of Hamburg, selected a random magnetic field strength of 2,000 Gauss, in order to demonstrate that such fields can alter the molecular structures of chemicals. He first tested the theory using several hundred plants set out in three rows. One line of plants used as a control was watered with plain water, he then filled a large container with water adding concentrated Sulphuric Acid and Formaldehyde. After mixing well, the mixture was placed into two smaller containers, one of which was treated by placing a 2,000 Gauss bar magnet against the side of the container for 15 minutes.

All plants watered with the untreated mixture soon died off, there being no perceptible difference between the state of the control plants, and those fed with the treated water. This was demonstrated in a more profound way when the above procedure was adopted and the contaminated water poured into two aquarium's,

again one treated for 15 minutes with the magnet. When these tanks were stocked with fish it was always the case that the fish in the untreated water soon died, and the fish in the treated tank did not. Dr. Pose went on to develop an instrument that employed a 2,000 Gauss rotating magnet to change the structure of Mercury in order to remove its toxic properties.

Dr. Pose never sought to achieve the same results using a weaker magnetic field, or reduced time factor. As far as he was concerned he had proved his point. It is my contention, based on observations that magnetic field strengths of a much lower order from A/C and dc sources are instrumental in promoting changes to some organized structures within the biological framework.

3.The Geomagnetic Field

Dr. Ludger Mersmann, Doctor of Physics and Medicine from the Department of Biophysics and Medicine Wassenach, found that the interaction between magnetic field gradients, and biological systems produced anomalies affecting the biochemical reactions and the oxidation processes in the body resulting in damage to the hormone and immune systems. Intense magnetic anomalies coupled with long exposure time presents a threat to the welfare of the bio-system. The threshold of the magnetic anomalies between a physiological and pathological value of the magnetic field gradient is to be found between 2,000-3,000nT measured over a one metre length.

The magnetic field gradient can be caused by an increasing or decreasing magnetic field intensity. A classification of the different gradients of the magnetic field anomalies (*fig.1*) based on thousands of measurements, and equated to differing degrees of biological malfunction.

fig.1	Normal – Less than 2,000 nano Tesla measured over a 1 metre length.
	Threshold – 2,000nT - 3,000nT/1m
	Disturbed – 3,000nT - 5,000nT/1m
	Strongly Disturbed – 5,000nT - 10,000nT/1m
	Very Highly Disturbed – 10,000nT or greater/1m

The original advice coming from centres of research in Germany was, if by measuring above a bed with a geomagnetometer, there is a difference greater than 4,000nT over a one metre span on any part of the bed, then that zone should be classified as disturbed and the bed moved to a area of the room free from any dc magnetic field disturbance.

It was my experience to find, however, that in an overwhelming majority of cases the fields being measured did not reflect the state of the geomagnetic field but served to highlight anomalies in the dc magnetic fields generated in the main by metal parts in the bed base, mattress and some headboards, with metal central heating radiators, and other steel structures in close proximity to the bed being to a lesser degree contributory factors.

In the course of investigating a house for radiation problems, I came across a single bed with a line of a minor nature (Hartmann Net) crossing the bottom of the sleeping site. If this were said to be the sum total of the problem, even in the long term one would not expect this to contribute a threat to the welfare of the bio-system. When measuring the geomagnetic field around and under the bed, it was found to be stable, but when measuring the value of the dc magnetic field just above the area of the bed an anomaly of 46,300nT was recorded in the top half of the bed over a span of 27cm, The mattress springs were responsible for over 90% of the difference, with metal in the headboard accounting for the rest.

The person who slept in the bed had been ill with a multiplicity of problems for about six years, four years in this country, two in America, the main symptoms being fatigue, depression mental confusion and candida. The bed was purchased six years before in California, and her health problems started around that time. Even though she had visited medical specialists in both countries and spent a great deal of money doing the rounds in the so called fringe medicine circuit, no useful progress was made until she started to sleep on a wooden bed, with a non-spring mattress (The bed was also placed into a neutral zone).

There have been many cases where metal parts in beds have served to produce an unstable dc magnetic field zone in the area of the sleeping site generally with a more reduced level of distortion than above and were an essential factor in the overall equation. Sometimes a bed is placed with the head end up against

a double radiator, in many such cases I have measured a difference of more than 25,000nT across the area of the pillow and consequently the head of anyone sleeping there. The diminishing value across this area being due to the field conforming to the inverse square law.

The most recent indication that disturbed dc magnetic fields could be a factor associated with the promotion of ill health arose from my investigation of a house near Putney Bridge, London where I found an anomaly in the value of a dc magnetic field measured around the area of the head where a two year old girl slept (32600nT). This was a very high reading produced in a confined space by the springs in the cot mattress, this being the only problem that I encountered. The girl was diagnosed to be suffering from Germ Cell Cancer with a tumour said to be as large as an orange. The girl did not respond to medical treatment until we disposed of the mattress, replacing it with a non-spring type.

A nine year old boy suffering from a brain tumour (Leamington Spa) had a geological fault line crossed by a Curry Grid line in the area of his head where he slept, again not responding to medical treatment until he was moved into a neutral zone in the same bedroom. Where reinforced concrete was used in the foundation of a building, the metal grids and mesh served to produce a distorted dc field sometimes greater than 50,000nT over a 1 metre distance. With bedrooms on the second floor, those sleeping there were protected by this type of field conforming to the inverse square law. By the time it reached the upper floor the field reading would diminish to a level that would not constitute a problem.

In a single storey building however, if reinforced concrete is employed as a base, those sleeping there will be immersed in a distorted field for lengthy periods of time and there are indications from my observations that this could be a factor particularly when in combination with other types of Earth, and A/C pulsed magnetic field radiation.

4.Sudden Infant Death Syndrome (SIDS)

It is my contention based on experience that in many a so called cot death, the baby is damaged in the embryonic stage of development as a result of the mother sleeping above a site producing morphogenic fields. This is sometimes compounded by the presence of other factors such as a disrupted dc field and

pulsed magnetic field invasion from a number of sources outside, as well as inside the house. Some worked during their pregnancy, in one case travelling to work via an electrified rail system (1½ hours each way), operating a computer in an office employing many other electrical devices. Some old type computers emit more than 1,000nT in pulsed magnetic fields, Infra-Red, Ultra Violet, and soft X-rays, and from the latest research the static field on the front of the screen is said to attract the isotopes of Polonium, Bismuth and Lead. In this way the developing baby was being saturated by a range of radiation for practically twenty four hours a day. But in overall consideration, Earth radiation was very much central to this problem where radiation could be said to be a causative factor.

With a myriad of highly specific bio-electric signals being transmitted within the foetus in order to create a normal, healthy baby it becomes of paramount importance that this creative symphony of precision engineering is allowed to take place in a relatively stable electromagnetic background in order to obtain the best end result. When taking stock of the state of dc field stability inside cots, I sometimes found them to be disturbed by over 20,000 nT measured over the length of the cot. This being caused in part by the metal grid supporting the mattress, this being on occasions intensified by the springs inside the mattress.

Where there had been a sudden infant death without any obvious reason, it is the practice of some hospitals to provide the family with an early warning device when their next baby is born. In all cases that I came across the electronic unit was placed in the cot very often on the body, or close to the head. The type that worked off the main electricity supply emitted more than 1,400nT in pulsed magnetic fields. Both the battery, and mains operated units served to produce an instability in the dc magnetic field value by more than 150 MilliGauss. In most cases, the cable connecting the main unit was long enough to allow placing it outside the cot and this they were advised to do those that were too short were modified

The same type of Earth radiation that I found to be present in SIDS cases were also a factor in cases of Miscarriage and Down's syndrome to a highly significant level, when it is understood that we begin life when we are two cells old and allow for the fact that there is a continuous output of bio-electric signals generated within these cells in order to promote the development towards producing a healthy baby then the invasion of the powerful fields particularly from a subterranean water

course would in my opinion have the capacity to alter the status of these communications to a point where serious biological damage would result.

On a few occasions, I investigated houses where the woman had given birth to one healthy child followed by several miscarriages and detected Earth radiation firmly associated with this problem in the area where the female slept. I was able to correctly state in these circumstances that the healthy child was not conceived within the confines of that sleeping site, it further transpired that in all cases that they had slept in another bedroom I had previously checked without detecting any noxious radiation.

The Academic group on Medical Genetics Institute of Obstetrics and Gynaecology, St.Petersburg 199034 and the federal geological company 'Nevakgeologica' Russia, conducted a pilot study into the association of zones of geopathic disturbance, and Down's syndrome cases and found the relationship between Earth radiation and this disease to be highly significant. And suggested that an elevated risk of Cancer diseases in Down's syndrome families as previously reported may be accounted for by residing on a site of geopathic disturbance. It has been my experience to find that in most DS cases it is a subterranean water course located flowing below the sleeping site where parents of DS children go on to develop Cancer. I always find thus far that there is more than one type of radiation (Mainly two) located in the area of the bed where they sleep.

5.A/C Fields

It has been my experience to find that you cannot usefully evaluate the biological effects of A/C pulsed magnetic, or ambient electric fields without taking into consideration a multiplicity of other factors and, in particular Earth radiation.

Over the years there have been many reviews carried out by official bodies dealing with claims presented by researchers that A/C fields cause Leukaemia and many other diseases, the main body of such research being condemned as unproven due to the fact that such claims could not be replicated. When you consider the number of agents capable of producing biological changes that are not taken into consideration when researching the effects of A/C fields it would only surprise me if such claims could be replicated.

Another factor that serves to undermine the value of such research is the manner in which these fields are measured, and the type of instruments employed. It is a common practice to place an instrument with data logging facilities in the middle of a room overnight to measure both the A/C pulsed magnetic fields and the ambient electric fields and base the conclusions on whatever is recorded. Such practice falls far short of what is required in order to classify this as a scientific investigation. There could be a 2000nT PMF in the area of a pillow on a bed and because such fields are subject to the inverse square law, it would diminish by the time it reached the middle of the room to a point where a much reduced field value would be recorded.

Conversely, the high value reading recorded in the centre of the room rated as being a health hazard would be reduced in the same manner by the time it reached the sleeping site. The practice of recording the value of ambient electric fields with a hand held instrument is another approach that cannot be supported because of the perturbation of the ambient field with a hand held instrument taking on site measurements it is possible to record over 100 volts per metre in the centre of a pillow standing on one side of a single bed and, by going round and taking a reading on the other side of the bed, again measuring the same spot in the centre of the same pillow, one can record a zero V/m. The investigation of ambient A/C fields should be carried out with the aid of instruments designed to record remote readings.

There are many ways in which such fields are measured that serve to undermine the value of the research. One that I witnessed was taking readings above the head of an employee working in an office. The investigator declared that the 60 nT from A/C PMF came from a light above and, at that magnitude, did not constitute a problem. This being the sum total of his brief, he left. Had the PMF been measured around the area of the employee's feet, values of over 1000nT would have been recorded, as I found being emitted from a fluorescent light screwed to the ceiling of the floor below.

My visits to departments in major universities led me to believe that the reason for such low replication levels associated with their research conclusions was largely due to the fact that there were a number of agents capable of promoting altered states in biological functions of which they were not aware and, therefore could

not take into consideration. Some research projects were conducted over a two year period in order to give the programme a high credibility rating. The fact is that in many cases the longer the project goes on the more likely it is to be misleading and this is due from my observations, to the fact that some types of Earth radiation in the short term would not constitute a problem but would do so over a two year period.

Sending such projects to other universities where the configuration of Earth, and man made, radiation in combination with some chemical agents such as Lindane that have a capacity to produce altered states within the bio-system would be different on a number of counts, one could not reasonably expect to get the original findings confirmed. The problem of replication is further compounded when one takes into consideration the fact that some individuals happen to be hypersensitive to a particular frequency above a certain magnetic field level, and although they tend to represent the minority, I sometimes come across such cases that are afflicted in this manner. In the main, the problems that arose from this combination were confined to insomnia migraine type headaches, and when associated with magnetic fields generated from motor vehicle electric systems, severe pains in the legs, followed by in some cases temporary paralysis.

A typical case was a business man who could drive his car for several hours without being subject to any discomfort. When however, someone else drove his car and he sat in the front passenger seat, even on a journey of short duration, he would suffer severe pains in both legs and was unable to walk for some 2-3 hours. The problem was resolved when he sat in the rear seat on such occasions.

Measuring the magnetic fields around the area of the legs on the driver's side averaged 65nT, on the passenger side the average was 1320nT and in the area of the rear seat the ambient magnetic field were below 20nT. Taking him to a restaurant situated in London W1 area, where the A/C PMF were just above 1300nT, I found that he could sit there for lengthy periods of time without any problem. Although the PMF's recorded in the restaurant and in his car were almost identical, the frequencies were different and this has been the result in many other cases. Other individuals who sat in the front passenger seat of his car during trips of long duration did so without encountering any problem.

A similar set of circumstances arises with people suffering from migraine type headaches. In homes, offices and schools that I investigated it was found that individuals were adversely affected by a particular frequency above a certain magnetic field level. In some cases it was possible to relocate their working or sleeping site to an area where the PMF's were below the level that promoted the migraine. In other cases, particularly in houses that were saturated with PMF's in the area of the head where they slept, very often coming from a bedside radio clock or transformer plug, the problem was resolved simply by moving the offending appliance away from the bed.

Likewise, with insomnia cases, I invariably found A/C PMF's above 120nT in the area of the pillow on the sleeping site and sometimes lines of radiation from Earth sources going through the area of the head where they slept. Again the problem was very often solved just by moving the bed into a neutral zone. Where A/C PMF's were saturating the house from an outside source and beyond our ability to control, it became necessary to move into another house which I would fully investigate before they purchased the property. After moving into the newly acquired house most of them, even the long term cases tended to recover within a few weeks of moving in. The practice of fixing safety levels related to radiation exposure based on the level at which thermal damage to tissue occurs is not in my opinion the criteria that should be employed, it should be based on the level at which it has an adverse effect on the bio-electric system. It is quite clear from my observations that there is a variation in the degree of genetic sensitivity to the A/C magnetic fields, sometimes to a marked degree.

During a visit to Sweden I investigated two houses next to each other, both houses had a subterranean water course flowing below them, in the first house a bed where a woman slept had the outside edge line running through it crossed by a two banded Hartmann line. This woman was suffering from cancer of the breast a typical outcome for females sleeping in the area of this particular combination when the crossing point is found to be in the crossing in the region of the chest. In the next house the same water course continued below the bedrooms where the father, and eight year old daughter each suffered from a brain tumour, the field that was in combination with the Earth radiation was a highly unstable A/C time varying magnetic field generated from electric cables under the house. The value of the magnetic fields were continuously, and rapidly changing from

170nT-520nT and this combination from my experience can be very debilitating, the house was saturated with both types of radiation to a point where it was difficult to relocate the beds into a safe zone. Since they failed to respond to medical treatment it became of paramount importance to move out of that house into a safe dwelling and this was arranged. They both went on to benefit from further treatment and made a full recovery and the company responsible for laying the cables were informed regarding the unstable A/C fields.

6. Leukaemia

In spite of many claims by researchers that exposure to elevated levels of A/C pulsed magnetic and ambient electric fields causes Leukaemia I have not encountered one single case where these fields have as a single, or combined factor been the only types of radiation found to be in association with these diseases. It is quite common to find individuals immersed in what researchers would claim to be high levels of both types of A/C fields for long periods of time without suffering any apparent ill effects.

It has been my experience to find that in particular, Chronic Lymphoid and Chronic Myeloid Leukaemia cases were immersed in three different types of radiation simultaneously as the enclosed charts will serve to indicate. The three types being the outside edge line emitting radiation generated by the movement of a subterranean water course, the so called two banded Hartmann grid line (discovered by Dr Ernst Hartmann) and A/C time varying magnetic fields above 300nT. There is of course an urgent need to examine more Leukaemia sites before coming to any firm conclusions, but thus far this combination has been found in association with the two Chronic types of Leukaemia without exception indicating the merit of further investigation.

The use of Chemotherapy can in some cases serve to be counter productive in as far as this form of Cancer treatment promotes a reduction in already depleted energy levels to a point where the patient finds it necessary to spend more time resting in bed and as a consequence being immersed in the radiation that I find to be in association with these diseases for a much longer period of time than normally would be the case.

The practice in some hospitals of placing such patients on an electrically operated posture changing bed in an effort to reduce bed sores is in my view of questionable value. The often all metal bed can produce grossly distorted dc magnetic fields well above the magnitude found to promote cell dysfunction, (Dr. Ludger Mersmann, Doctor of Physics and Medicine) the A/C PMF's produced by this type of bed can exceed 2000nT for 24 hours a day and this is well above the level found to promote the cell division rate to be increased up to 24 times faster than normal cell division rate. (Dr. Jerry Phillip Cancer Therapy and Research Foundation San Antonio Texas), these findings were replicated by others including (Dr. Wendell Winters University of Texas).

It should be a matter of standard practice when a case of haematological malignancy is diagnosed to change the sleeping site of the patient preferably to another room where possible as an immediate, and first step, and then call upon the services of a skilled dowser who is registered for the purpose of detecting Earth radiation whilst at the same time making provision to measure the level of A/C fields and in particular the PMF's, It is my contention that treatment would tend to be more successful and in particular bone marrow transplants if the recipient was sleeping, and resting in a neutral zone. All too often I am called in as a last resort, sometimes years after the diagnosis at a time when it is too late for me to make a useful contribution.

I carried out many investigations in the UK, France and Germany on behalf of Cancer patients tended by Dr. Hans Nieper (Germany), he made a practice of not treating a Cancer patient until their house and on occasions their workplace had been checked by a skilled dowser who would then make provision to move the bed and chairs where individuals spent long periods of time in a fixed position into a neutral zone free from any harmful radiation. The findings were then presented to the doctor before he would proceed with the treatment. According to the studies he initiated, at least 92% of all Cancer patients he examined had remained for long periods of time (with respect to their sleeping place) in geopathogenic zones. He also noted that a very high percentage of Multiple Sclerosis (MS) sufferers were also found to be associated with radiation in the area of the bed where they slept. My findings are that people with MS, particularly females were on the receiving end of three specific radiation types simultaneously. The content of the combination being different from those associated with the Leukaemia cases.

7.Arthritis

There are indications that the radiation generated in between the outside edge lines of a subterranean water course could be an important factor in the development of arthritis. Of the many cases that I have investigated over the years, a significant number were found to be sleeping in this position (that is in the the area between the outside edge lines). From my observations a person had to be associated with the sleeping site for many years before this condition was apparent, animals were also found to be damaged in the same way, a farmer who kept goats in a large shed above a wide subterranean water course where the outside edge lines were both outside the area where the goats were kept gave up the practice of keeping them as they all went down with arthritis, and this experience applied to several different herds over a 24 year period. On a dairy farm just outside Crewe I examined over 200 cattle pens and found that around 90 of these pens were above a variety of earth ray types mostly wide subterranean water courses. The farmer had a high level of sickness and mortality with his cattle, most of his potential profit was diminished due to the cost of paying for treatment for the sick animals. The farmer, and his son claimed to work in these cattle pens and milking shed for some 14 hours a day, seven days a week, both were disabled with arthritis, the father had two operations for hip joint replacements. Other animals such as horses, cats and dogs were also found to be suffering from the same disease for the same reason.

8.Chronic Fatigue Syndrome (CFS)

As a result of investigating Earth radiation associated with specific diseases and, in particular, so called CFS cases, over three thousand cases in over 20 countries. I have come to the conclusion that energy depleted state cases loosely classified as CFS fall into two classes, CFS caused as a result of being exposed to a specific type of Earth radiation and an energy depleted state associated with a range of viruses (Post Viral Fatigue).

The molecules of subterranean water courses moving more than two miles p/h interacting with the structure of the strata through which it is flowing produces a positive vertical electric field, a dc generated magnetic field, radio frequencies in the MHz range, the outside edge lines were organized in narrow bands about 6cm wide. These bands are formed along the outside edges of the moving water. Another band is sometimes found towards the centre of the body of moving water

known as the high energy output line, again organized in about a 6 cm wide band. When considering the biological damage associated with the movement of subterranean water when related to Chronic Fatigue Syndrome cases, it is the outside edge line that I find in most cases going through the bodies of CFS sufferers mainly where they sleep and in a few cases where they work in a fixed position on a daily basis. This, along with a great many other observations, serves to indicate to me that disease, is in some fair measure a problem of location, with particular diseases being linked to specific types or combinations of Earth radiation. With the variations in the content of emissions generated from the different types of Earth rays, it is my contention that a particular disease is caused by a frequency, wave type and a substructure specific invasion being instrumental in promoting an altered state to the value of selective bio-electric transmissions.

In the course of investigating these energy depleted state cases I find over 90% are associated with the radiation generated from the outside edge line. I have also noted that some young girls can sleep above this line for many years without being affected to any marked degree, unless the line of radiation is going through the area of their head, that is until they reach the age of puberty at which stage they begin to suffer from CFS. When the outside edge line crosses both male and female, for example in a double bed it is the female in a majority of cases who is more adversely affected. It is my contention that the type of field emitted from the outside edge line interacts with oestrogen setting up a resonance which is instrumental in altering the state of specific messages sent along the mitochondrion electron chain resulting in a shortfall in the production of adenosine triphosphate the main energy releasing agent in the cell. If you add, or remove an electron in an electrical system it will change the polarity and it is in this way that the altered state could be produced.

As a result of these observations, I contend that CFS is initially a bio-electric problem. It is becoming apparent to me that in many diseases the problem to be addressed as a matter of priority is the altered states of electric fields at cell level. The position Of the narrow banded radiation on the body would in some cases, determine the range of symptoms suffered by individuals, as the enclosed charts will serve to indicate. After placing the bed into a neutral zone away from the harmful Earth rays and man made radiation those suffering from CFS often enjoy a measurable improvement without achieving a full recovery. After evaluating

various therapeutic approaches, I found that the bio-electric treatment given by the healer Seke Nolic, who operates from the Hale Clinic, London, is by far the most successful. Over the years, a large number of people have enjoyed a vastly improved quality of life as a result of her treatment. I have seen some who were wheelchair bound for many years make what could be said to be a full recovery after one week's treatment from Seka.

Some of these recoveries were said to be miraculous, but in reality they had very little to do with miracles. These improvements were achieved simply by the application of elementary biophysics. Seka Nolic is generating a spectrum of frequencies from her hands which can up to a certain point be measured, which is instrumental in restoring energy levels probably as a result of changing the polarity of the electrical messages sent along the mitochondrion electron chain, increasing and production of ATP and from brain scans taken before and after her treatment, there was an increase in blood flow to the brain of over 20%. I contend that this serves to underline the fact that CFS results from an imbalance in the value of bio-electric fields at cell level caused by the invasion of specific fields radiating from the outside edge line and is repaired in the same way by the application of specific bio-electric fields that tends to vary from one individual to another. But success is only possible if such therapy is applied after moving the patient into a zone free from noxious radiation where they sleep, and in some cases where they work for long periods of time in a fixed position.

It should be possible in time to measure in precise terms what is required in terms of frequency and substructure content in order to promote such recoveries and to replicate these so they can be generated from an instrument. Trying to treat an imbalance in the bio-electric fields with a chemical solution will in some fair measure prove to be a waste of time, energy and money and will sometimes serve to cause more problems than they solve. If medicine is going to move into the 21st century to any useful purpose, it must understand that the contents of the biological framework are motivated by highly specific electromagnetic frequencies at cell level. Some of these functions require the presence of a stable geomagnetic field, the beneficial Schumann resonance and a balanced ionization field in order to promote the correct bio-electric activity. Any other type of radiation that is capable of penetrating to cell level which is specific enough in its content carries with it a potential to create altered states in the content of bio-electric messages

and this development, from my observations, is responsible for the onset of many different diseases CFS being just one of them. Some individuals suffering from CFS also had a history of viruses associated with Post Viral Fatigue so they have two problems rather than one.

In the cases where they find the activities, of say the Epstein Barr Virus related to infective mononucleosis, it is generally assumed that the severe energy depleted state suffered by the person being examined is due only to the virus and is thereby classified as Post Viral Fatigue. This from my experience is not accurate. The line of radiation that I find associated with CFS cases would, also based on the above mentioned research, compromise the immune system to a degree where particular viruses would be more troublesome. Any induced change to the state of bio-electric fields will certainly result in there being an alteration in the status of chemical compounds.

In addition to locating Earth radiation with a dowsing technique, I employ a range of scientific instruments to measure the state of the geomagnetic fields, dc fields from metals magnetic fields from man-made fibres, A/C time varying magnetic fields, ambient electric fields, Gamma radiation and X-Rays and emissions generated from mobile phones, cordless phones and cell phone tower units also taking into consideration other agents such as Lindane Organophosphate's etc. Professor Hans Dieter Betz (Professor of Physics, Munich University) headed a team of scientists that investigated the ability of dowsers to find underground drinkable water supplies taking them to ten different countries and, on the advice of dowsers sank some 2,000 wells with a very high success rate. In Sri Lanka where the geological conditions were said to be difficult some 691 wells were drilled for, based on the advice given by dowsers with a 96% success rate.

Geohydrologists given the same task took two months to evaluate a site, where a dowser would complete his survey on average in less than one hour. The geohydrologists had a 21% success rate, as a result of which the German government have sponsored a large team of dowsers to work in the arid zones of Southern India to find drinkable water. In Russia they teach dowsing as a science and many of the skilled dowsers are doctors, engineers and scientists. Dr. Alexander P. Dubrov (Biology, author of 12 books and more than 250 scientific papers) being one of the researchers who is internationally respected in this field.

9. Medicine in the 21st Century

As I see it, there are two main considerations: the prevention of disease and the need to examine and correct any imbalance in the value of specific bio-electric fields, since it is apparent from my observations that being immersed in a particular type of radiation or combination of fields would lead to the development of a specific disease. This result is due to the fact that the structure of the invading frequency, or frequencies, have the capacity to create altered states in the content of bio-electric fields and this would in turn, have a profound disorganizing effect in the biochemical status.

Over the years in the United Kingdom alone, many thousands of people have died from lung Cancer due to the invasion of Radon gas into houses, even now I come across cases where individuals are living in houses saturated with Radon gas above a level associated with the development of lung Cancer, in spite of the fact that Radiological Protection Boards around the world are well aware, it is relatively simple and inexpensive to build houses in such a way as to repel the invasion of this noxious gas.

The basic guidelines suggest that an impervious layer should be put into a concrete foundation sealing all incoming and outgoing services such as gas, electricity, water and drains, as well as making provision for a flow of air under the foundations. It also requires a flow of air through the rooms and the avoidance of double glazing that lacks adequate provision for ventilation. It is quite apparent to me, based on my experience, that knowing what to do in itself is not enough, there needs to be a firm resolve to implement these regulations.

Radon gas related lung Cancer is very much an avoidable disease, and with a responsible approach to this problem, it could be eradicated. It has been my experience to find that Earth radiation of the type located by dowsers has a clear association with a wide range of debilitating, and terminal, diseases and represents a far greater threat to the health of the population than any other agent I have come across, yet it is my firm conviction that it would be possible to place a material into the foundation of buildings that would filter out the harmful radiation without having an adverse effect on the structure of the biologically beneficial geo-magnetic field and the Schumann waves.

Any programme designed to better control or eliminate disease would have to take this into consideration if it were to succeed. Again, I would underline the necessity to examine the state of specific bio-electric fields related to a particular disease for it is my firm conviction that, in a great many cases, disease is promoted due to an imbalance in bio-electric field values and this in main, is produced by the invasion of electromagnetic fields specific in their make up from outside sources.

Seka Nolic, a healer who enjoys a high level of success when dealing with CFS cases does not advertise her services yet she has patients coming from all over the world and tends to be booked up well in advance. This alone indicates that there is something going on worth investigating. I know other healers with an international reputation who refuse to deal with these cases because they have no success in this area but are successful with other diseases.

It has been demonstrated that there is a degree of bio-electric individuality within certain limits when measuring fields discharged from the hands of healers which would explain this, for in as much as certain diseases are related to specific types, or combinations, of radiation, it is also apparent that in order to repair the damage a wave package is required that is equally precise in its overall structure. So, in the final analysis, there is a need to develop instruments that are capable of producing such fields in a refined manner and this I contend, is already being achieved and successfully employed on a limited basis.

Professor Yuri Gulvaev, Director of the Institute of Radio Engineering and Electronics, Moscow, using thermal tomography as a diagnostic tool along with an electromagnetic therapy, claims a 98% success rate when dealing with Psoriasis. Another device, the [YAV-1] machine, approved for service by the Ministry of Health of the USSR is an apparatus employing the influence of EHF range waves to usefully deal with ulcers and many other diseases. Physicians of the 6th Clinical Hospital have obtained complete cicatrization of ulcers in 91.7% of 7,000 patients suffering from uastic and duodenal ulcers.

The TENS machine, or 'Transcutaneous Electrical Nerve Stimulation' is widely used in hospitals around the world for the purpose of treating long persistent pain by passing small electric currents into the spinal cord of sensory nerves by means

of electrodes applied to the skin. This again serves to indicate that invading fields from an outside source can have an effect on biological functions.

Over the years I have come across many patients suffering from severe migraine type headaches that did not respond to the moving of beds, work sites or any form of medical treatment offered by the National Health Service. A significant number of these people were helped to enjoy a much improved quality of life by wearing the Tri-Med developed by Isis based in England. This electronic device is calibrated based on the results of the EEG spectral brain wave scan with the aim in view of replicating such frequencies that are found to be deficient in their output value. The frequencies programmed into the Tri-Med, which is worn on the subject's wrist, is basically a digital low frequency wave form generator. It generates specific wave forms of a low level electromagnetic nature which are taken up by the central nervous system and is designed to normalize the measured brain frequency levels. This device is also successful from my observations with cases of Insomnia and Depression.

The replication of missing bio-electric fields, which I contend is a major factor giving rise to the development of the most debilitating symptoms associated with Multiple Sclerosis and other allied diseases, would be possible and useful in some cases of Chronic Fatigue Syndrome, or Post Viral Fatigue some sufferers are afflicted with, in addition to a range of other symptoms and defective eyesight problems. In a majority this only occurs when the Earth radiation line is going through the area of the head, to a lesser degree this also results when the sleeping site has PMF's above 120nT in the area of the head in combination with the outside edge line generated by the movement of subterranean water crossing the body below the area of the head. It is possible to measure the influence these fields have on the type of brain frequencies evaluated by Isis Medical Technology Ltd., and it is again my contention that it is also likely to produce an altered state in the structure of bio-electric fields serving the visual cortex network to a point where such visual defects would result.

The first step – It is of paramount importance to move the patient into a neutral zone before seeking to employ any type of therapy, failure to do so will serve to undermine the success in treating any disease found in association with Earth or other types of radiation, and is on par with trying to treat someone with

a burnt hand whilst they still have their hand in the fire. By moving such people off this type of hazard into a neutral zone it has been possible to improve the quality of life for a great many individuals. Most of my investigations are carried in a blind test environment and I continue to survey houses around the globe.

10. Conclusion

Since it is my firm contention that many diseases are promoted in the initial stage by radiation having an adverse effect on specific sectors of the bio-electric system, and that from my observations terminal diseases in a substantial majority of cases requires two, or more (mainly two) types interacting simultaneously in order to create these results, it may well be possible to terminate the life force of viruses by using two well chosen modulated frequencies to achieve this end by disorganizing their bio-electric system in the same way as our system is damaged to a point where it produces a terminal illness without necessarily damaging the content of our biological framework.

There are a great many devices classified as bio-resonance therapy machines claiming to usefully deal with a range of diseases. It is quite clear to me that when this development is refined to meet the requirements of a damaged bio-electric system, it will find a place in the front line against disease.

Reports coming from Russia indicate that groups of scientists and medical researchers from different disciplines working together studying the biological effects of harmful Earth radiation in the St Petersburg area have found a firm association with these rays and cases of Cancer, Leukaemia Sclerosis Ischemia and a range of congenital defects. (Report from Dr Eugene Melnikov, Geology and Mineralogy).

In Poland recent proposed legislation covering the building trade states that certain types of buildings cannot be constructed until the site they intend to build on has been declared to be safe following an examination by a state registered inspector, and the type of radiation they would be testing for is the type located by dowsers. The recommendations were made arising from the research of a large number of scientists working with dowsers investigating the biological effects of Earth radiation.

11.Final Note

I am willing to demonstrate the association of specific types of radiation that is found to be related to the disease Chronic Fatigue Syndrome, two types of Chronic Leukaemia, Breast Cancer, Brain Tumours and miscarriages in a double blind test environment in any respected university interested in the subject.

Alfred H. Riggs

Consultant Radiethesist

Copyright © Summer 2003 by Alfred Henry Riggs. All rights reserved. No part of this document may be reproduced in any form without written permission. To receive photocopy permission contact Alfred via E-mail: info@alfredriggs.com